This listing of claims will replace all prior versions, and listings, of claims in the application:

<u>Listing of Claims</u> (deleted text being struck through and added text being underlined):

- 1. (Previously Presented) A personal computer comprising:
- a built-in microphone for detecting ambient noise;
- a noise cancellation module coupled to the microphone that generates a noise cancellation signal responsive to the detected ambient noise; and
- a digital signal processor for mixing the noise cancellation signal with an audio signal provided from a desired source for provision to a standard headphone compatible audio output connection to reduce headphone noise.
- 2. (Previously Presented) The personal computer of claim 1 and further comprising an optical disc drive for providing the audio signal.
- 3. (Previously Presented) The personal computer of claim 1 wherein the noise cancellation module comprises a software program running on a processor.
- 4. (Previously Presented) The personal computer of claim 1 wherein the microprocessor is the central processing unit for the computer system.
- 5. (Previously Presented) The personal computer of claim 1 wherein the digital signal processor is located on a sound board.
  - 6. (Cancelled)
- 7. (Previously Presented) The personal computer of claim 1 wherein the computer system is a mobile computer.

8. (Previously Presented) A method of reducing ambient noise normally heard by a user through headphones when listening to audio provided via a mobile computer system, comprising:

detecting the ambient noise via a microphone built-in to the mobile computer system;

generating a noise cancellation signal based on the detected ambient noise; and

mixing the noise cancellation signal with the audio from the compact disc,

wherein the mixed signal is applied to a standard headphone compatible audio output connection to reduce the ambient noise in the headphones.

- 9. (Original) The method of claim 8 and further comprising converting the detected ambient noise to an electrical signal.
- 10. (Original) The method of claim 8 wherein detecting the ambient noise is performed using a built-in microphone within the mobile computer system.
- 11. (Original) The method of claim 8 wherein generation of the noise cancellation signal is done when the optical disc drive is active.
- 12. (Original) The method of claim 8 wherein generation of the noise cancellation signal is initiated manually via a software interface.

13. (Previously Presented) A machine readable medium having machine readable instructions stored thereon for causing a computer to perform the steps comprising:

detecting environmental background noise via a microphone built-in to the computer;

converting the detected environmental background noise into an electrical signal;

generating a noise cancellation signal based on the electrical signal; and

mixing the noise cancellation signal with an audio signal for provision to a standard headphone compatible audio output connection to reduce headphone noise.

- 14. (Original) The machine readable medium of claim 13 wherein the step of generating a noise cancellation signal is performed automatically when the optical disc drive is active.
- 15. (Original) The machine readable medium of claim 13 wherein the step of generating a noise cancellation signal is activated through a software interface.

- 16. (Currently Amended) A personal computer comprising: a housing:
- a microprocessor mounted on the housing;
- memory coupled to the microprocessor,
- a storage device coupled to the microprocessor;
- a built in microphone built into the housing for detecting ambient noise ambient to the housing;
- a noise cancellation module coupled to the microphone that generates a noise cancellation signal responsive to the detected ambient noise; and
- a digital signal processor for mixing the noise cancellation signal with an audio signal provided from a desired source for provision to a standard headset compatible audio output connection to reduce headphone noise.
- 17. (Original) The personal computer of claim 16 and further comprising an integrated a display device integrated into the display device.
- 18. (Original) The personal computer of claim 17 wherein the personal computer comprises a mobile computer system having an integrated a source of power integrated into the housing.
- 19. (Original) The personal computer of claim 16 wherein the noise cancellation module is part of the microprocessor.
- 20. (Original) The personal computer of claim 17 wherein the personal computer comprises a mobile computer system and the noise cancellation module is provided by the microprocessor.
- 21. (Original) The personal computer of claim 1 wherein the audio source comprises a compact disc playing game or music sounds.

- 22. (Original) The personal computer of claim 1 wherein the noise cancellation signal is mixed with the audio signal to cancel ambient noise such that the audio signal is audible through a speaker coupled to the audio output connection.
- 23. (Original) The method of claim 8 wherein the audio from the compact disc comprises music.
  - 24, (Previously Presented) A mobile computer comprising:
- a microphone integrated into the mobile computer for detecting ambient noise;
- a noise cancellation software module coupled to the microphone that generates a noise cancellation signal responsive to the detected ambient noise, and having a profile for compensating for keyboard key clicks detected by the microphone; and
- a digital signal processor for mixing the noise cancellation signal with an audio signal provided from a desired source for provision to an audio output connection for a standard headset.
- 25. (Previously Presented) The mobile computer of claim 24 wherein the audio output connection comprises an analog output port.
- 26. (Previously Presented) The mobile computer of claim 25 and further comprising a digital to analog converter coupled between the digital signal processor and analog output port.
- 27. (Previously Presented) The mobile computer of claim 24 wherein the noise cancellation signal is generated when a source of audio output is activated.
  - 28. (Cancelled)

- 29. (Previously Presented) The personal computer of claim 1 wherein said noise cancellation module generates the noise cancellation signal based on said ambient noise, said noise cancellation signal being generated in a form suitable to reduce headphone noise in the standard set of headphones connected via the audio output connection.
- 30. (Previously Presented) The personal computer of claim 1 wherein said headphone noise comes from a same source as said ambient noise.
- 31. (Previously Presented) The method of claim 8 wherein said noise cancellation signal is generated based on the detected ambient noise in a format suitable to reduce headphone noise in the standard set of headphones connected via the audio output connection.
- 32. (Previously Presented) The method of chum 8 wherein said headphone noise comes from a same source as said ambient noise.
- 33. (Previously Presented) The computer readable medium of claim 13 wherein said noise cancellation signal is generated based on the detected ambient noise in a formal suitable to reduce headphone noise in the standard set of headphones connected via the audio output connection.
- 34. (Previously Presented) The computer readable medium of claim 13 wherein said headphone noise comes from a same source as said ambient noise.
- 35. (Previously Presented) The personal computer of claim 16 wherein said noise cancellation module generates the noise cancellation signal based on said ambient noise, said noise cancellation signal being generated in a format suitable to reduce headphone noise in the standard set of headphones connected via the audio output connection.

- 36. (Previously Presented) The personal computer of claim 16 wherein said headphone noise comes from a same source as said ambient noise.
- 37. (Previously Presented) The mobile computer of claim 24 wherein said noise cancellation module generates the noise cancellation signal based on said ambient noise, said noise cancellation signal being generated in a format suitable to reduce headphone noise in the standard set of headphones connected via the audio output connection.
- 38. (Currently Amended) The mobile computer of claim [[[1]]] 24 wherein said headphone noise comes from a some source as said ambient noise.